

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|--|------------------|---------|---------------------|
| S81 | 2094 | ((web adj1 (page document)) (data adj1 (unit page document))) near50 ((phone telephone) adj3 (number identifier identification representation)) | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S82 | 999 | S81 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation))) | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S83 | 387 | S82 and ((initiate initiated initiating initiation initialize initialized initializing initialization initiator activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone telephone) adj3 (call called calling))) | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S84 | 139 | S83 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing) near10 (phone telephone number)) | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S85 | 12801 | ((715/700,764,765,772,781,810,821,846,856,862) or (715/501,1,503,526,528,830,531) or (545/157,426,581,589) or (579/90,01,93,23)) CCLS | US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/25 14:50 |
| S86 | 9 | S85 and S84 | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S87 | 317 | S85 and ((web adj1 (page document)) (data adj1 (unit page document))) and ((phone telephone) adj3 (number identifier identification representation))) | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S88 | 134 | S87 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining determination detect detected detecting detection identify identified identifying identification) near20 ((phone telephone) adj3 (number identifier identification representation))) | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S89 | 64 | S88 and ((initiate initiated initiating initiation initialize initialized initializing initialization initiator activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near20 ((phone telephone) adj3 (call called calling communication communicate communicated))) | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S90 | 25 | S89 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing) near20 (phone telephone number)) | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S91 | 627 | S81 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation))) | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S92 | 17 | S85 and S91 | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S93 | 87 | S85 and ((web adj1 (page document)) (data adj1 (unit page document))) some ((phone telephone) adj3 (number identifier identification representation))) | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S94 | 22 | S93 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation))) | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |

| | | | | | | |
|------|--------|---|--|----|-----|------------------|
| S95 | 2094 | ((web adj1 (page document)) (data adj1 (unit page document))) near50 ((phone telephone) adj3 (number identifier identification representation)) | US-PC;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S96 | 999 | S95 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation))) | US-PC;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S97 | 387 | S96 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone telephone) adj3 (call called calling))) | US-PC;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S98 | 139 | S97 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing) near10 (phone telephone number)) | US-PC;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S99 | 11792 | ((715/700,764,765,772,781,810,821,846,856,862) or (715/501,1,500,526,528,530,531) or (345/157,426,581,589) or (79/90,01,90,23,142)).CCLS. | US-PC;PUB; USPAT | OR | OFF | 2008/02/25 14:50 |
| S100 | 87 | S99 and ((web adj1 (page document)) (data adj1 (unit page document))) some ((phone telephone) adj3 (number identifier identification representation))) | US-PC;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S101 | 22 | S100 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation))) | US-PC;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S102 | 317 | S99 and ((web adj1 (page document)) (data adj1 (unit page document))) and ((phone telephone) adj3 (number identifier identification representation))) | US-PC;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S103 | 134 | S102 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detection detect detected detecting detection identify identified identifying identification) near20 ((phone telephone) adj3 (number identifier identification representation))) | US-PC;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S104 | 64 | S103 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near20 ((phone telephone) adj3 (call called calling communication communicate communications))) | US-PC;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S105 | 25 | S104 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing) near20 (phone telephone number)) | US-PC;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S106 | 74 | S103 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting) near20 ((phone telephone) adj3 (call called calling communication communicate communications))) | US-PC;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S107 | 27 | S106 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing) near20 (phone telephone number)) | US-PC;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S108 | 110585 | ((phone telephone).ab. and (number identifier identification representation).ab. | EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S109 | 22511 | S108 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting).ab. and (call called calling).ab.) | EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S110 | 131 | S109 and ((web adj1 (page document)).ab. or (data adj1 (unit page document)).ab. or webpage.ab.) | EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |

| | | | | | | |
|------|--------|---|--|----|-----|------------------|
| S111 | 2094 | ((web a:d1 (page document)) (data a:d1 (unit page document))) near50 ((phone telephone) a:d3 (number identifier identification representation)) | US-PCG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S112 | 999 | S111 and (scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) a:d3 (number identifier identification representation)) | US-PCG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S113 | 387 | S112 and ((initiate initiated initiating initialization initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone telephone) a:d3 (call called calling))) | US-PCG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S114 | 139 | S113 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing) near10 (phone telephone number)) | US-PCG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S115 | 12901 | ((715/700,764,765,772,781,810,821,846,856,862) or (715/501.1,503,526,528,830,531) or (345/157,426,581,589) or (379/90,01,93,23)).CCL5. | US-PCG;PUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/25 14:50 |
| S116 | 87 | S115 and ((web a:d1 (page document)) (data a:d1 (unit page document))) same ((phone telephone) a:d3 (number identifier identification representation)) | US-PCG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S117 | 22 | S116 and ((link hyperlink hotspot (hot a:d1 spot url) near10 ((phone telephone) a:d3 (number identifier identification representation))) | US-PCG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S118 | 110585 | ((phone telephone) ab and (number identifier identification representation) ab) | EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S119 | 22511 | S118 and ((initiate initiated initiating initialization initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting) ab and (call called calling) ab) | EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S120 | 131 | S119 and ((web a:d1 (page document)) ab or (data a:d1 (unit page document)) ab or webpage:ab) | EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S121 | 11792 | ((715/700,764,765,772,781,810,821,846,856,862) or (715/501.1,503,526,528,830,531) or (345/157,426,581,589) or (379/90,01,93,23,142)).CCL5. | US-PCG;PUB; USPAT | OR | OFF | 2008/02/25 14:50 |
| S122 | 317 | S121 and ((web a:d1 (page document)) (data a:d1 (unit page document))) and ((phone telephone) a:d3 (number identifier identification representation)) | US-PCG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S123 | 134 | S122 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining determination detect detected detecting detection identify identified identifying identification) near20 ((phone telephone) a:d3 (number identifier identification representation))) | US-PCG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S124 | 74 | S123 and ((initiate initiated initiating initialization initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting) near20 ((phone telephone) a:d3 (call called calling communication communicate communicates))) | US-PCG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S125 | 27 | S124 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing) near20 (phone telephone number)) | US-PCG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S126 | 2094 | ((web a:d1 (page document)) (data a:d1 (unit page document))) near50 ((phone telephone) a:d3 (number identifier identification representation)) | US-PCG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |

| | | | | | | |
|------|-------|---|---|----|-----|------------------|
| S127 | 999 | S126 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying)) near20 ((phone telephone a)3 (number identifier identification representation))) | US-PG/PUB; USP/AT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S128 | 387 | S127 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing)) near15 ((phone telephone a)3 (call called calling))) | US-PG/PUB; USP/AT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S129 | 139 | S128 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing)) near10 ((phone telephone number)) | US-PG/PUB; USP/AT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| S130 | 11792 | ((715/700,764,765,772,781,810,821,846,856,862) or (715/901,1,503,526,528,830,531) or (345/157,426,581,589) or (379/50,01,93,23)) CCLS | US-PG/PUB; USP/AT | OR | OFF | 2008/02/25 14:50 |
| S131 | 41 | S130 and ((web a)1 (page document)) (data a)1 (unit page document))) near50 ((phone telephone a)3 (number identifier identification representation))) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S132 | 25 | S131 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying)) near20 ((phone telephone a)3 (number identifier identification representation))) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S133 | 18 | S132 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing)) near15 ((phone telephone a)3 (call called calling))) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S134 | 9 | S133 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing)) near10 ((phone telephone number)) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S135 | 41 | S131 and ((web a)1 (page document)) (data a)1 (unit page document))) and ((phone telephone a)3 (number identifier identification representation))) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S136 | 24 | S135 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing)) near20 ((phone telephone a)3 (call called calling communication communicate communicated))) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S137 | 13 | S136 and ((link hyperlink hotspot (hot a)1 spot url) near10 ((phone telephone a)3 (number identifier identification representation))) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S138 | 13 | S137 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detection detect detected detecting detection identify identified identifying identification)) near20 ((phone telephone a)3 (number identifier identification representation))) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S139 | 9 | S138 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing)) near20 ((phone telephone number)) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S140 | 1873 | ((web a)1 (page document)) (data a)1 (unit page document))) near50 ((phone telephone a)3 (number identifier identification representation))) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S141 | 586 | S140 and ((link hyperlink hotspot (hot a)1 spot url) near10 ((phone telephone a)3 (number identifier identification representation))) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S142 | 374 | S141 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying identification)) near20 ((phone telephone a)3 (number identifier identification representation))) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S143 | 203 | S142 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing)) near15 ((phone telephone a)3 (call called calling))) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |
| S144 | 81 | S143 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing)) near10 ((phone telephone number)) | US-PG/PUB; USP/AT | OR | ON | 2008/02/25 14:50 |

| | | | | | | |
|------|--------|---|----------------------------|----|----|------------------|
| SI45 | 110585 | (phone telephone).ab. and (number identifier identification representation).ab. | EPC; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| SI46 | 22511 | SI45 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting).ab. and (call called calling).ab.) | EPC; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| SI47 | 131 | SI46 and ((web adj1 (page document)).ab. or (data adj1 (unit page document)).ab. or webpage.ab.) | EPC; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/25 14:50 |
| SI48 | 1873 | ((web adj1 (page document)) (data adj1 (unit page document))) near50 ((phone telephone) adj3 (number identifier identification representation)) | US-PGPUB; USPAT | OR | ON | 2008/02/25 14:50 |
| SI49 | 954 | SI48 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation))) | US-PGPUB; USPAT | OR | ON | 2008/02/25 14:50 |
| SI50 | 381 | SI49 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone telephone) adj3 (call called calling))) | US-PGPUB; USPAT | OR | ON | 2008/02/25 14:50 |
| SI51 | 139 | SI50 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing) near10 ((phone telephone number))) | US-PGPUB; USPAT | OR | ON | 2008/02/25 14:50 |
| SI52 | 87 | SI50 and ((web adj1 (page document)) (data adj1 (unit page document))) some ((phone telephone) adj3 (number identifier identification representation))) | US-PGPUB; USPAT | OR | ON | 2008/02/25 14:50 |
| SI53 | 22 | SI52 and ((link hyperlink hotspot (hot adj1 spot url) near10 ((phone telephone) adj3 (number identifier identification representation))) | US-PGPUB; USPAT | OR | ON | 2008/02/25 14:50 |
| SI54 | 317 | SI50 and ((web adj1 (page document)) (data adj1 (unit page document))) and ((phone telephone) adj3 (number identifier identification representation))) | US-PGPUB; USPAT | OR | ON | 2008/02/25 14:50 |
| SI55 | 134 | SI54 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detection detect detected detecting detection identify identified identifying identification) near20 ((phone telephone) adj3 (number identifier identification representation))) | US-PGPUB; USPAT | OR | ON | 2008/02/25 14:50 |
| SI56 | 74 | SI55 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting) near20 ((phone telephone) adj3 (call called calling communication communicate communications))) | US-PGPUB; USPAT | OR | ON | 2008/02/25 14:50 |
| SI57 | 27 | SI56 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing) near20 ((phone telephone number))) | US-PGPUB; USPAT | OR | ON | 2008/02/25 14:50 |
| SI58 | 35 | ((web adj1 (page document)) page webpage (data adj1 (unit page document))) .clm. and (phone telephone cellphone).clm. and (number identifier identification representation).clm. and (scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying).clm. and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing).clm. and (call called calling dial dialed dialing).clm. and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhance enhanced enhancing).clm. and (link linked linking hyperlink3 hotspot (hot adj1 spot url)).clm. | US-PGPUB | OR | ON | 2008/02/25 14:50 |

2/26/2008 6:59:16 PM

C:\Documents and Settings\xbautista\My Documents\EAST\Workspaces\10614394rce.wsp